

# Pickle Pie™

## DESIGNS

### Double Block Wall Hanging Project Guide




Complete each block unit in one hooping, then attach the blocks with ribbon ties, Velcro, or snaps on ribbon tabs.

This project requires two blocks to complete. You'll start stitching the block that you'd like at the TOP of your completed Wall Hanging (Block 1). You should stitch that block up until the red **STOP** in the block instructions. Follow the steps below to complete the project...

Choose a Ribbon Style to attach the blocks together, and note the supplies you'll need for your chosen style in the Supply List.

**Style 1:**

Ribbon Tied into Bows




**Style 2:**

Ribbon Tabs with Velcro



**Style 3:**

Ribbon Tabs with Snaps



**Remember:** Complete the stitching instructions for each chosen block up to the red **STOP** notation. You'll then come back to these projects to finish the project.

### *Additional Supplies you'll need...*

- Fabric for Back, Fat Quarter
- One 14" Length of Grosgrain Ribbon, 7/8" wide, for the hanger (plus ribbon for the ribbon style you choose - see chart below)
- 1" wide Fusible Seam Tape
- Additional supplies from chart below, based on your chosen Ribbon Style...

<b>Ribbon Style:</b>	<b>7/8" Wide Ribbon</b>	<b>Iron-on Velcro</b>	<b>Snap Sets*</b>
1) Ribbon Tied into Bows	Four 12" lengths	—	—
2) Ribbon Tabs with Velcro	Four 4" lengths	Four 1" pieces (4 hook pieces and 4 loop pieces)	—
3) Ribbon Tabs with Snaps	Four 4" lengths	—	Two

\* If you are using snaps, you'll also need a snap setting tool.

All measurements are listed width x length.


## Prep your fabrics...

### Cut Fabric...


	Label	8" Block	7" Block	6" Block	5" Block	4" Block
Back piece 1	1	10" x 4"	9" x 4"	8" x 4"	7" x 4"	6" x 4"
Back piece 2	2	10" x 10"	9" x 9"	8" x 8"	7" x 7"	6" x 6"
Back piece 3	3	10" x 4"	9" x 4"	8" x 4"	7" x 4"	6" x 4"
Back piece 4	4	10" x 10"	9" x 9"	8" x 8"	7" x 7"	6" x 6"

### Other Fabric Prep...

- Fabric 1: fold back 1" lengthwise, wrong sides together. Press.
- Repeat with Fabric 3.



- Fabric 1: Press fusible seam tape along the right side of the fold, as shown. Leave any paper backing on the tape intact for now.




- Repeat with Fabric 3.

You should have your first block completed until the red **STOP** in the block instructions. **Leave the project hooped** and follow the steps below...

### Block 1:


1. Remove the hoop from your machine, but leave the project in the hoop. Carefully remove any tape around the project.

Using a ruler and pen, measure down 2" from the top left stitch line. Mark this outside the left stitch line as indicated by the arrow in the picture.




3. Measure 1" in from the top left stitch line. Mark this outside the top stitch line as indicated by the first arrow in the picture.

Repeat on the right side of the project, marking where indicated by the right arrow in the picture.




2. Repeat on the right side, marking 2" down from the top stitch line and marking outside the stitch line.



4. Measure 1" in from the bottom left stitch line. Mark this outside the bottom stitch line as indicated by the first arrow in the picture.


Repeat on the right side of the project, marking where indicated by the right arrow in the picture.




## Block 1, continued:

5. Take the 14" length of ribbon (for the hanger). Place one end of it 1" over the top left stitch line. Align the left edge of the ribbon with top line you drew in step 3. Tape in place outside the top stitch line.

Repeat with the other end of ribbon, on the right side of the block.




6. If your ribbon extends near or over the bottom edge of the project, fold it up to the center and tape to prevent it from getting caught in the bottom seam.



7. Tape your ribbon lengths in place...


### For Style 1 (12" ribbons):



Place one length of ribbon over the bottom left stitch line. The ribbon should overlap the bottom stitch line by 1/2", and its left edge should be placed against the lower left line you drew in step 4. Tape in place outside the seam.

Repeat with another length of ribbon, on the right side of the block.

### For Style 2 or 3 (4" ribbons):




Fold one length of ribbon to 2" and place it over the bottom left stitch line with the fold facing the center of the hoop. The raw edges should overlap the bottom stitch line by 1/2", and its left edges should be placed against the lower left line you drew in step 4. Tape in place outside the seam.


Repeat with another length of ribbon, on the right side of the block.

## Block 1, continued:


8. Fold the end of each ribbon to the center of the project, and tape it down to prevent it from getting caught in the seam. Proceed to step 9 for all styles...




9. Place Fabric 1 over the top of the project, right side down, with the fold facing the center of the hoop. Align the fold just above the lines you drew in steps 1 and 2. Tape in place along the raw edges. (The graphic shows Style 1, but the process is the same for all styles.)



10. Place Fabric 2 over the bottom of the project, right side down, with the top edge overlapping Fabric 1 by 1". Tape in place on the sides and lower edge.




11. To prevent the presser foot from catching as it sews the next stitch sequence, place tape across the entire top edge of Fabric 2.



## Block 1, continued:


12. Put the hoop back on your machine.

Sew the final stitch sequence to stitch the layers together.



13. Remove the hoop from your machine and take the project out of the hoop. Remove the tape.

Trim around the project, leaving a 1/2" seam allowance, and clip the corners.




14. Turn the project, right side out, through the opening in the back. Poke out the corners.

Pull off any paper backing on the seam tape. Iron the back of your project over the opening to allow the seam tape to fuse it closed.



15. Press the rest of the project, being careful not to iron your ribbon. Set aside.




Return to the instructions for your second block. When you get to the red **STOP** in the instructions, return to the next page of this project guide.

You should have your second block completed until the red **STOP** in the block instructions. **Leave the project hooped** and follow the steps below...


### Block 2:

16. Remove the hoop from your machine, but leave the project in the hoop. Carefully remove any tape around the project.

Using a ruler and pen, measure down 2" from the top left stitch line. Mark this outside the left stitch line as indicated by the arrow in the picture.




17. Repeat on the right side, marking 2" down from the top stitch line and marking outside the stitch line.



18. Measure 1" in from the top left stitch line. Mark this outside the top stitch line as indicated by the first arrow in the picture.

Repeat on the right side of the project, marking where indicated by the right arrow in the picture.




Continue to the next page...

**Block 2, continued:**

19. Tape upper ribbon lengths in place...


**For Style 1  
(12" ribbons):**



Place one length of ribbon over the top left stitch line. The ribbon should overlap the top stitch line by 1/2", and its left edge should be placed against the top left line you drew in step 18. Tape in place outside the seam.

Repeat with another length of ribbon on the right side of the block.


**For Style 2 or 3  
(4" ribbons):**



Fold one length of ribbon to 2" and place it over the top left stitch line with the fold facing the center of the hoop. The raw edges should be placed against the upper left stitch line you drew in step 18. Tape in place outside the seam.


Repeat with another length of ribbon on the right side of the block.

20. For Ribbon Style 1, fold the end of each ribbon to the center of the project, and tape it down to prevent it from getting caught in the bottom seam. Proceed to step 21 for all styles...




21. Place Fabric 3 over the top of the project, right side down, with the fold facing the center of the hoop. Align the fold just above the lines you drew in step 17. Tape in place along the raw edges.

(The graphic shows Style 1, but the process is the same for all styles.)




**Block 2, continued:**

22. Place Fabric 4 over the bottom of the project, right side down, with the top edge overlapping Fabric 1 by 1". Tape in place on the sides and lower edge.




23. To prevent the presser foot from catching as it sews the next stitch sequence, place tape across the entire top edge of Fabric 4.




24. Put the hoop back on your machine.

Sew the final stitch sequence to stitch the layers together.



25. Remove the hoop from your machine and take the project out of the hoop. Remove the tape.


Trim around the project, leaving a 1/2" seam allowance, and clip the corners.



**Block 2, continued:**


26. Turn the project, right side out, through the opening in the back. Poke out the corners.

Pull off any paper backing on the seam tape. Iron the back of your project over the opening to allow the seam tape to fuse it closed.



Proceed to the next page to attach your blocks!


27. Press the rest of the project, being careful not to iron your ribbon. Set aside.



# Attaching your blocks to complete your wall hanging...


## Style 1: Ribbon Tied into Bows...

Lay Blocks 1 & 2 on a flat surface, as shown.



Tie the lower left ribbon on Block 1 to the upper left ribbon on Block 2.

Repeat with the lower right ribbon on Block 1 and the upper right ribbon on Block 2 to complete your project!




## Style 2: Ribbon Tabs with Velcro...

Lay Block 1, right side down.


Peel the backing off of one hook (scratchy) piece of Velcro. Stick it to the lower left ribbon tab.

Repeat on the lower right ribbon tab with another piece of hook Velcro.



Turn Block 1 right side up.


Place a pressing cloth over the lower ribbon tabs and press to fuse the Velcro to the ribbon, following the Velcro package instructions.



Lay Block 2, right side up.


Peel the backing off of one loop (soft) piece of Velcro. Stick it to the upper left ribbon tab.

Repeat on the upper right ribbon tab with another piece of loop Velcro.




Turn Block 2 right side down.

Place a pressing cloth over the upper ribbon tabs and press to fuse the Velcro to the ribbon, following the Velcro package instructions.



*Style 2: Ribbon Tabs with Velcro...*

Attach the blocks together with the Velcro tabs to complete your wall hanging!




## Style 3: Ribbon Tabs with Snaps...

Block 1:

Following the directions for your snap setting tool, attach a snap to the lower left ribbon tab, with the right side of the snap facing up, and the female side of the snap facing down.


Repeat on the lower right ribbon tab.



Block 2:

Attach the opposite snap parts to the upper left ribbon tab. The male part of the snap should face up as it needs to connect to the snap parts on Block 1.

Repeat on the upper right ribbon tab.



Attach the blocks together with the snaps to complete your wall hanging!

